

Stormwater Pollution Prevention Plan

Township of Mannington

Salem County

Permit Number NJG0151173

Annual Review Date: September 2023

Revision Date: April 2026;

Stormwater Program Coordinator: (Stephen Nardelli)

Table of Contents

Form 1 – Team Members	3
Form 2 – Revision History	4
Form 3 – Public Announcements.....	5
Form 4 – Post-Construction Stormwater Management in New Development and Redevelopment ...	6
Form 5 – Ordinances	7
Form 6 – Street Sweeping.....	8
Form 7 – MS4 Infrastructure	9
Form 8 – Community-wide Measures	12
Form 9 – Municipal Maintenance Yards & Other Ancillary Operations	13
Form 10 – Training.....	16
Form 11 – MS4 Mapping	18
Form 12 – Watershed Improvement Plan	19

Form 1 – Team Members

Stormwater Program Coordinator (SPC)			
Name and Title		Stephen Nardelli, PE, PP, CME	
Phone	856-451-2990	Email	snardelli@fralinger.com
Individual(s) Responsible for Major Development Project Stormwater Management Review			
Name and Title		Corey Gaskill, PE, CME, CFM	
Phone	856-451-2990	Email	corey@fralinger.com
Name and Title			
		Email	
Other Municipal Stormwater Team Members			
Name and Title		Richard Eber, Jr., Mayor	
Phone	856-935-2359	Email	reber@manningtontwp.com
Name and Title		Patti Davis, Deputy Clerk	
Phone	856-935-2359	Email	deputyclerk@manningtontwp.com
Name and Title		Ron Owens, Public Works Foreman	
Phone	856-935-7239	Email	rowens@manningtontwp.com
Shared/Contracted Service Providers			
Provider Name	Service Provided	Term of Service	

Form 3 – Public Announcements
Part IV.B. and C.

1. Provide the link to the dedicated stormwater webpage for your municipality.
https://manningtontwp.com/storm-water/
2. List the name and title of person(s) responsible for stormwater webpage postings/updates.
Amber Ayars, Acting Clerk/Administrator Patti Davis, Deputy Clerk
3. List the newspapers, social media outlets, websites, direct mailings (Email or postal), and other communication approaches typically used to inform/educate the public on stormwater program information and related events/activities.
Mailings to all residents with stormwater information Fliers and Pamphlets at Municipal Building vestibule Township website Public Events – Salem County Fair, Road Clean-Up days

Form 4 – Post-Construction Stormwater Management in New Development and Redevelopment

Part IV.E.

1. How does the municipality define “major development”? If it is different from the definition in N.J.A.C. 7:8, explain the difference.
The municipality defines major development the same as it is found in NJAC 7:8
2. Is the municipality’s stormwater control ordinance (SCO) the same as or more stringent than NJDEP’s model SCO? If more stringent, explain the difference.
The SCO is the same as the NJDEP’s model.
3. Describe the process for reviewing major development project applications for compliance with the SCO and Residential Site Improvement Standards (RSIS).
The applicant’s site development stormwater plan is submitted and reviewed by the municipal board or officials. The board officials will consult with the township’s engineer to determine if all checklist requirements have been satisfied.
4. Does your municipality have a mitigation plan included in your Municipal Stormwater Management Plan and Stormwater Control Ordinance? Indicate the location of records of all variances granted.
Yes. Mannington Township Municipal Complex 491 Route 45 Mannington, NJ 08079
5. Indicate the dates of each iteration of the township’s Stormwater Control Ordinance, starting with the initial adoption and including revisions.
12-2005; 6-2011; 4-5-2021; 4-7-2024
6. Indicate the dates of each iteration of the township’s Municipal Stormwater Management Plan, starting with the initial adoption and including revisions.
6-2005; 4-5-2021

Form 5 – Ordinances
Part IV.F.1.

Ordinance	Date Adopted	Was the DEP model adopted without change? If not, explain how the municipality's is more stringent.	Entity Responsible for Enforcement	Fees & Fines
1. Pet Waste	4-4-2024	Yes	NJSP & Board of Health	\$2,000
2. Wildlife Feeding	4-4-2024	Yes	NJSP & Twp Officials	\$2,000
3. Litter Control	4-4-2024	Yes	NJSP & Twp Officials	\$2,000
4. Improper Disposal of Waste	4-4-2024	Yes	NJSP & Twp Officials	\$2,000
5. Yard Waste	4-4-2024	Yes	Public Works	\$2000 or cost of removal by PW
6. Private Storm Drain Inlet Retrofitting	4-4-2024	Yes	NJSP & Twp Officials	\$2,000
7. Illicit Connections	4-4-2024	Yes	NJSP & Twp Officials	\$2,000
8. Privately-Owned Salt Storage	4-4-2024	Yes	NJSP & Twp Officials	\$2,000
9. Tree Removal- Replacement	4-4-2024	Yes	NJSP & Twp Officials	Engineer Estimate or Replacement
List any additional stormwater-related ordinances the municipality has adopted that address issues beyond the scope of the MS4 permit. Include adoption date, entity responsible for enforcement, and related fees and fines.				
Not applicable.				
Indicate the location of records associated with ordinances and related violations and enforcement actions below.				
Mannington Township Municipal Complex 491 Route 45 Mannington, NJ 08079				

Form 6 – Street Sweeping
Part IV.F.2.a.i. and ii.

1. Provide a written description and/or attach a map outlining the sweeping schedule for the following:

- Segments of municipal roads with storm drain inlets that discharge to surface water (required at least 3 times each year)
- Segments of municipal roads that do not have storm drain inlets but do discharge to surface water (required at least 1 time each year)

Note: Only asphalt and concrete roads need to be swept. Roads that do not have storm drain inlets and do not discharge to surface water do not need to be swept.

<p align="center"><u>Roads to be Swept 3x per Year</u></p> <p><i>Tide Mill Road</i> <i>Dubois Road</i> <i>Compromise Road</i> <i>Mannington Yorketown Road</i> <i>Basset Road</i></p>	<p align="center"><u>Roads to be Swept 1x per Year</u></p> <p><i>Biddle Road</i> <i>Gordon Road</i> <i>Seabrook Road</i></p>
---	--

2. Indicate if sweeping work is outsourced and if so, describe the arrangement.

Not applicable.

Form 7 – MS4 Infrastructure

Part IV.F.2-4. and Part IV.G.2-3.

1. Municipal Storm Drain Inlets

- a. Describe how you ensure that municipal inlets without permanent wording cast into the design have been properly labelled.
- b. Describe how you ensure that municipal and private storm drain inlets have been retrofitted.
- c. Describe how you ensure that newly installed storm drain inlets include corresponding catch basins or other BMPs to collect solids.
- d. Describe when and how you conduct inspections of storm drain inlets and the criteria used to determine when they need to be cleaned.

- a. When storm drain inlets are inspected and cleaned, the labels are also inspected. Any labels that have gone missing or are no longer legible are repaired.
- b. Municipal – Retrofitting is performed with municipal funded projects. Private – Any changes to a private site that requires approval by the Planning/Zoning Board will be required to retrofit their existing inlets.
- c. The township’s engineer reviews projects that propose new storm drain inlets and verifies catch basins or other BMPs are used. Inspection will also take place at the time of installation.
- d. Storm drain inlets are inspected by crews via drive by. Any sign of the inlets not operating as designed are cleaned and/or fixed.

2. Municipal Catch Basins

- a. Describe when and how you conduct inspections of catch basins.
- b. Describe the criteria used to determine when catch basins need to be cleaned.

- a. Catch basin inspection is performed at least once per year by lifting grates and inspecting with a flashlight.
- b. If the catch basin is not functioning as it was intended, it will be evaluated by crews and cleaned out via vac truck or fixed.

<p>3. Municipal Conveyance System Describe when and how inspections of MS4 conveyance systems are conducted, and the criteria used to determine when they need to be cleaned. Include a description of the equipment and techniques used.</p>
<p>The conveyance system is inspected at the same time as the catch basins are inspected at least once per year. Grates are lifted and inspected with flashlight. Should the conveyance not function as it was designed, they are cleaned or fixed by crews and vac truck is used.</p>
<p>4. Municipal Outfall Inspections – Stream Scouring Describe the program in place to detect, investigate, and control localized stream scouring from stormwater outfalls. Include a description of the equipment and techniques used.</p>
<p>All outfall structures owned by the township are inspected each year and includes stream scouring. Should an issue be discovered, location will be placed on a prioritized list and repairs will be made in accordance with soil erosion and sediment control. Mini excavator or backhoe is used.</p> <p>Any cases are recorded using DEP’s supplied stream scouring investigation recordkeeping form.</p>
<p>5. Municipal Outfall Inspections – Illicit Discharge Detection and Elimination Describe the program in place for conducting visual dry weather inspections of municipally owned or operated outfalls. Include a description of the equipment and techniques used. Record cases of illicit discharges using the DEP’s Illicit Connection Inspection Report Form from the Department’s main stormwater webpage.</p>
<p>All outfall structures owned by the township are inspected every year and includes illicit discharge inspection. A dry weather inspection is one that takes place 72 hours after a rain event. Visual inspection includes looking for discoloration or unusual debris.</p> <p>Any cases are recorded using DEP’s supplied Illicit Connection Report Form.</p>
<p>6. Other Municipal Infrastructure List the types of MS4 infrastructure in your town that require inspection but are not noted above in items 1-5. Describe when and how you conduct inspections of this infrastructure and the criteria used to determine when they need to be maintained and/or cleaned.</p>
<p>N/A</p>

7. Stormwater Facilities Not Owned or Operated by the Municipality

Describe your program for ensuring adequate long-term cleaning, operation, and maintenance of stormwater facilities not owned or operated by the municipality. This should include your plan for ensuring annual inspections are being done on these private properties and describe how you record the locations and logs associated with private infrastructure.

The township performs drive-by inspections of facilities not owned or operated by the municipality no less than once per year.

The township also sends a letter to private entities to remind them about adequate maintenance on their stormwater infrastructure to ensure proper function.

In the event of an issue, the township’s enforcement officer will notify the owner. Any negligence will result in citation by the township to owner.

Records will be kept.

8. Infrastructure Records

Indicate the location of records related to stormwater infrastructure inspection, cleaning, maintenance, and repair activities.

Municipal Complex	&	Public Works
491 Route 45		9 Tide Mill Road
Mannington, NJ 08079		Mannington, NJ 08079

Form 8 – Community-wide Measures

Part IV.F.2.

1. Herbicide Application Management Describe your program for preventing herbicides from being washed into the waters of the State and to prevent erosion caused by de-vegetation.
N/A. Not licensed to use herbicide.
2. Excess Deicing Material Management Describe your program for ensuring that excess salt piles are removed in a timely manner after storm events.
The township inspects and removes all excess salt piles after snowstorms. Front loaders or hand shoveling into trucks is done.
3. Roadside Vegetative Waste Describe your program for ensuring proper pickup, handling, storage, and disposal of wood waste and yard trimmings generated by the permittee along municipal roads or on municipal properties (trimming trees, mowing, etc.).
All roadside vegetative waste is collected and taken to Salem County Landfill
4. Roadside Erosion Control Describe your program to detect and repair erosion along municipal roadways.
Township roads are inspected at least once per week by public works. Any erosion issues are addressed and fixed less than ninety (90) days from date of detection.

Form 9 – Municipal Maintenance Yards & Other Ancillary Operations
Part IV.F.5.

Please complete a separate Form 9 for each yard or site. Indicate the number of yards/sites the municipality owns or operates: 1

1. Site Name and Address	
Public Works 9 Tide Mill Road Mannington, NJ 08079	
2. Monthly Site Inspections	
Describe the nature of inspections conducted at this site and the location of inspection logs.	
Inspections are performed daily Monday – Friday as public works employees arrive for the working day. Documentation is performed monthly. Logs available upon request.	
3. Inventory List	
List all materials and machinery that are potentially exposed to stormwater.	
Materials	Machinery/Equipment
Cold Patch	
Backfill	
4. Discharge of Stormwater from Secondary Containment	
Describe the process in place for discharging stormwater from secondary containment areas where outdoor containers are stored.	
N/A – no outdoor containers.	

<p>5. Fueling Operations Does fueling occur on site? If so, describe the BMPs in place to minimize contamination of stormwater from fueling activities. If not, explain where fueling takes place.</p>
<p>Yes. All fueling done on impervious surface. Inspection on equipment is done prior to use. Drip pans placed under leak-prone areas. Should drips and/or spills occur onto surface, fuel is covered with sand to absorb, collected then taken to landfill. Signage is displayed at the yard discussing proper fueling techniques. Throw down booms are available.</p>
<p>6. Vehicle/Equipment Maintenance and Repair Do you perform maintenance and repair on site? Is this conducted indoors or outdoors? If outdoors, describe the BMPs in place to minimize contamination of stormwater from maintenance and repair activities.</p>
<p>All major vehicle/equipment maintenance and repair is outsourced and taken off-site. All other maintenance is performed indoors.</p>
<p>7. Wash Wastewater Containment Do you wash vehicles on site? If so, describe the BMPs in place to minimize contamination of stormwater from these activities. Note that on site containment structures require annual inspections by a NJ licensed professional engineer. If not, explain where vehicle washing takes place.</p>
<p>No. Vehicles are taken off-site to an appropriate car washing facility.</p>
<p>8. Salt and Other Granular De-icing Materials Do you store salt and other granular deicing materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.</p>
<p>Yes. All material is stored in a building and not exposed to stormwater.</p>
<p>9. Aggregate Material, Wood Chips, and Finished Leaf Compost Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.</p>
<p>Yes. All material is stored at least 50' away from any stormwater infrastructure and/or conveyance system to minimize contamination.</p>

<p>10. Cold Patch Asphalt Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.</p>
<p>Cold patch is stored on an impervious surface, tarped, and protected from stormwater infiltration.</p>
<p>11. Street Sweepings and Storm Sewer Cleanout Materials Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.</p>
<p>No. Any such material is collected and taken to Salem County Landfill.</p>
<p>12. Construction and Demolition Waste, Wood Waste, and Yard Trimmings Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.</p>
<p>No. Any such material is collected and taken to Salem County Landfill.</p>
<p>13. Scrap Tires Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.</p>
<p>Yes. Stored indoors and not exposed to stormwater.</p>
<p>14. Inoperable Vehicles and Equipment Do you store inoperable vehicles or equipment on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater. If not, explain where they are stored.</p>
<p>Inoperable vehicles not stored on site. Equipment is stored indoors and not exposed to stormwater.</p>

Form 10 – Training

Part IV.F.6-10.

Stormwater Program Coordinators
Describe the training provided for the municipal Stormwater Program Coordinator.
The townships SPC will attend the online webinar offered by NJDEP.

Topic	Municipal Employees
Examples: in-person or virtual group sessions, e-Learning, field trainings, and videos	
Describe the training provided for municipal staff.	
SPPP	In-person hard copy and e-learning electronic copy SPPP available to municipal staff. Annual review of SPPP.
Construction Site Stormwater Runoff	In-person and e-learning training to municipal staff for knowledge of construction site stormwater runoff.
Post-Construction Stormwater Management in New and Redevelopment	In-person and e-learning training to municipal staff for knowledge of post-construction stormwater management.
Community-wide Ordinances	In-person and e-learning to municipal staff for knowledge of adopted/existing ordinances and notices of violation.
Community-wide Measures	In-person and e-learning to municipal staff for knowledge of community-wide measures.
Stormwater Facilities Maintenance	In-person by public works.
Municipal Maintenance Yards and Other Ancillary Operations	In-person by public works.

MS4 Mapping	In-person and e-learning. Hard copy and electronic copy of mapping available to municipal staff.
Outfall Stream Scouring	In-person by field training and e-learning.
Illicit Discharge Detection and Elimination	In-person by field training and e-learning.

Stormwater Management Design Reviewers
Describe the training provided for individuals responsible for reviews and approvals of stormwater management designs.
Training is done with course supplied by NJDEP. At least once every five (5) years.

Municipal Board and Governing Body Members
Describe the training provided for members of the planning/zoning board and municipal council.
<p>Training is done with videos supplied by NJDEP. They are available in the following links:</p> <p>https://dep.nj.gov/stormwater/stormwater-training/#municipal-boards-and-governing-body-training</p> <p>https://dep.nj.gov/stormwater/stormwater-training/#reviewers-training</p> <p>Logs are kept for when individuals have watched the training.</p>

Training Records
Indicate the location of training records for the above required training.
<p>Mannington Township Municipal Complex 491 Route 45 Mannington, NJ 08079</p>

Form 11 – MS4 Mapping
Part IV.G.1.

1. Provide a link to the most current MS4 outfall/infrastructure map.	
N/A. Township Infrastructure Map currently in development and to be complete prior to January 2026 deadline.	
2. Indicate the total of each type of MS4 infrastructure listed below (due 01 Jan 2026).	
a. MS4 outfalls	<i>6</i>
b. MS4 ground water discharge points (basins or overland flow infiltration areas)	<i>6</i>
c. MS4 interconnections	<i>0</i>
d. MS4 storm drain inlets	<i>13</i>
e. MS4 manholes	<i>0</i>
f. Length of conveyance (channels, pipes, ditches, etc.)	<i>500 LF</i>
g. MS4 pump stations	<i>0</i>
h. MS4 stormwater facilities (any that are not listed above)	<i>0</i>
i. Maintenance yard(s) and other ancillary operations	<i>1</i>
3. Describe how the municipality’s outfall/infrastructure map is reviewed and updated to reflect any new or newly identified MS4 infrastructure (e.g., an outfall is closed, a new basin is constructed, ownership of an outfall has changed, etc.).	
When the township has projects that include installation of stormwater infrastructure, it will be added to the map along with a revision date.	
4. Describe how the municipality will create and update its MS4 Infrastructure Map.	
The map has been created and approved by DEP. All infrastructure has a northing/easting coordinate. When the township has projects that include installation of stormwater infrastructure, it will be added to the map along with a revision date. All points will have a coordinate.	

Form 12 – Watershed Improvement Plan
Part IV.H.

1. Describe how your municipality is developing its Watershed Improvement Plan.
Watershed Improvement Plan is underway.
2. Describe any regional projects or collaboration efforts with other municipalities.
No regional projects or collaboration efforts at this time.
3. Indicate the location of records related to all public information sessions and meetings for discussions of the Watershed Improvement Plan.
Municipal building (when available).